



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

LVIII. *A Catalogue of the Fifty Plants from Chelsea Garden, presented to the Royal Society by the worshipful Company of Apothecaries, for the Year 1759, pursuant to the Direction of Sir Hans Sloane, Baronet, Med. Reg. & Soc. Reg. nuper Præses, by John Wilmer, M. D. clariss. Societatis Pharmaceut. Lond. Socius, Hort. Chelsean. Præfectus & Prælector. Botanic.*

Read March 27, } 1851 **A** CER foliis trilobis integerrimis. Flor. Leyd. Prod. 459.
1760. }

Acer trifolium. C. B. P. 431.

1852 *Alfina marina* foliis portulacæ. Fl. Pruff. P. 12.
Ic. 2.

Anthyllis maritima centifolia. C. B. P. 282.

Alfina centifolia, seu Alfina cruciata marina.
Ger. Emac. 622.

1853 *Aster* foliis lanceolatis acutis scabris, caule simplici, floribus umbellatis terminalibus. Dict. Hort.

Aster ramosus annuus Canad. Mor. Hist.

1854 *Azalea* ramis infra flores foliosis. Flor. Virg.

1855 *Brassica* foliis infimis ovato-lanceolatis, serratodentatis, summis linearibus integerrimis.

1856 *Bromos panicula nutante, foliis utrinque subpilosis, glumis ciliatis.* Lin. Sp. Pl. 76.

1857 *Calendula* foliis obverse ovatis denticulatis, caule fruticoso perenni. Flor. Leyd. Prod. 531.

1858 *Cerasus* foliis ovatis. Virg. Hort. Cliff. 43.

Cerasus

Cerasus Sylvestris amara Mahaleb putata. I. B.
I. 227.

1859 *Chelidonium maximum* Canadense acaulon
Cornuti.

Sanguinaria. Hort. Eltham.

1860 *Clematis compositis et decompositis foliolis*
ternatis ferratis. Gmel.

1861 *Clematis purpurea repens*, petalis florum co-
riaceis. Banister.

1862 *Cratægus*; folio subrotundo, ferrato, subtus in-
cano, Aria multis. Tourn. 633.

1863 *Cratægus*; *Cerasi* folio, floribus magnis. Am-
man. Ruth. 274.

1864 *Cratægus*; folio laciniato. Tourn. 633.
Sorbus torminalis. Dod. 803.

1865 *Dens canis* latiore; rotundioraque folio, flore
ex purpura rubente. C. B. 87.

1866 *Elymus spica erecta*, spicula involucro lon-
giore. Hort. Upsal. 22.

1867 *Erigeron foliis basi revolutis*. Lin. Sp. Pl. 863.
Senecio Bonariensis purpurascens, foliis imis
coronopi. Hort. Eltham. 344.

1868 *Eruca latifolia*, alba sativa, *Doscoridis*. C. B.
98. Officin. 185.

1869 *Euonymus floribus omnibus quinquefidis*. Lin.
Sp. Pl. 197.

Euonymus Virginianus pyracanthæ foliis, cap-
sula verrucarum instar exasperata. Pluk.
Almag. 139.

1870 *Gypsophylla foliis lanceolato-linearibus obso-*
lete triquetris lævibus obtusis. Lin. Gen.
nov. 1103.

- Saponaria petalis ovatis, foliis glaucis pulposis.
Hall. Jen. 117.
- 1871 *Hypericum foetidum frutescens majus*. Tourn.
Hypericum frutescens Canariense multiflorum.
Hort. Amst.
- 1872 *Hypericum foetidum frutescens*. Tourn.
Tragium legitimum veterum. Ponæ Baldo 88.
- 1873 *Hypericum orientale foetido simile sed inodorum*. T. Cor.
- 1874 *Jasminum foliis lanceolatis oppositis integerrimis calycibus acutioribus*. Miller's Icons.
- 1875 *Ixia planifolia, caule multiflora, spatha brevissima*. Miller.
- 1876 *Lunaria major; filiqua rotundiore*. I. B. 2.
881.
- 1877 *Lycopus foliis æqualiter ferratis*. Lin. Sp. Plant. 21.
Lycopus foliis lanceolatis tenuissime ferratis.
Flor. Virg. 8.
- 1878 *Majorana rotundifolia scutellata exotica*. H. R. Par.
- 1879 Ortega. Læfl. epist. viii. Lin. Sp. Pl. 560.
Juncaria Salmatica. Clus. Hist. 1. P. 174.
- 1880 *Osteospermum foliis oppositis palmatis*. Lin.
Chrysanthemum perenne Virginianum majus platani folio orientale. Mor. Hist.
- 1881 *Oxalis scapo umbellifero, foliis ternatis bipartitis*. Lin. Sp. Pl. 434.
Oxalis bulbosa pentaphylla et hexaphylla, floribus magnis luteis et copiosis. Burman.
Plant. Afric. 80.
- 1882 *Peucedanum Germanicum*. C. B. P. 149.
Mor. Umb. 36.

- Fœniculum porcinum*. Lobel. Adversf. 350.
- 1883 *Potentilla foliis bipinnatis, segmentis integerrimis distantibus subtus tomentosis, caule decumbente*. Lin. Sp. Pl. 496.
- Pentaphylloides supinum minus, folio glabro non ferrato*. Amman. Ruth. 116.
- 1884 *Robinia pedunculis simplicissimis, foliis abrupte pinnatis*. Hort. Upsal. 212.
- Caragana Siberica*. Flor. Leyd. 537.
- 1885 *Salvia foliis oblongo-ovatis integerrimis calycibus patulis coloratis*. Fig. Tab. 225. F. 2.
- 1886 *Scabiosa Africana frutescens, foliis rugosis, et crenatis minor*. Par. Bat.
- 1887 *Seseli caule alto rigido, foliolis linearibus fasciculatis*. Lin. Sp. Pl. 260.
- Oenanthe striata rigida*. Hort. Cliff. 99.
- 1888 *Silene floribus fasciculatis, calycibus tomentosis*. Fl. Virg.
- 1889 *Silene foliis quaternis*. Flor. Virg.
- Lychnis Caryophylleus Virginianus, Gentianæ foliis glabris quatuor ex singulis geniculis caulem amplexantibus, flore amplo fimbriato*. Raii Hist. tom. ii. p. 1895.
- 1890 *Siler montanum, foliis Aquilegiæ*. Mor. Hist. 3. 276.
- Angelica montana perennis, Aquilegiæ folio*. Tourn. 313.
- 1891 *Sisyrinchium foliis gladiolatis amplexicaulibus pedunculis brevioribus*. Dist. Hort.
- Bermudiana iridis folio fibrosa radice*. T. Inst. 338.

- 1892 *Solidago paniculata*, racemis recurvatis, floribus erectis, foliis lanceolatis integerrimis glabris. Miller's Icons.
- 1893 *Sorbus Sylvestris* foliis domesticæ similis. C. B. P. 415.
- Sylvestris* five *Fraxinus bubula*. Ger. 1290.
- 1894 *Styrax*; folio *Mali Cotonei*. C. B. 452. Officin. 473.
- 1895 *Thapsia montana* omnium maxima, foliis lobatis, umbellis luteis. Micheli Hort. Flor.
- 1896 *Tithymalus arboreus*. Alpini.
- 1897 *Tithymalus Cyparissias*. Alpini Exotic.
- 1898 *Veronica*; flosculis oblongis pediculis infidentibus, *Chamædryos* folio. Hist. Ox. 2. 322.
- 1899 *Viburnum Mathioli*. C. B. 429.
- 1900 *Vitex* foliis ternatis quinatisque pinnato incis, spicis verticillatis terminalibus. Dict. Hort.
-

LIX. *Some Account of the Animal sent from the East Indies, by General Clive, to his Royal Highness the Duke of Cumberland, which is now in the Tower of London: In a Letter from James Parsons, M. D. F. R. S. to the Rev. Tho. Birch, D. D. Secretary to the Royal Society.*

Read March 27,
1760.

AT the request of the Reverend Dr. Littleton, dean of Exeter, I went to observe this creature, in order to find what class of animals he belonged to; and made the drawing,